

DSSE

PRODUCT MANUAL



MADISON SALON CHAIR SC02

Designed to Be Felt, Not Just Seen

The Madison Salon Chair delivers refined elegance with exceptional comfort. Upholstered in soft, antimicrobial medical grade vinyl and plush memory foam cushioning, it provides superior support throughout every styling session. Its clean silhouette, smooth hydraulic height adjustment, and stable base create a seamless balance of luxury, durability, and effortless professional performance.

Introduction

This manual is intended solely as a reference for the operation of this specific model. DSSE assumes no responsibility or liability for any consequences resulting from its use for other purposes. All information contained in this manual is protected by copyright and may not be copied, reproduced, or translated, in whole or in part, without the prior written consent of our company.

Safety Instructions


- This chair is designed for professional salon, beauty, and clinical use only. Do not use it for any purpose other than its intended function.
- Do not exceed the recommended maximum weight capacity of the chair. Overloading may cause instability or damage.
- Keep children away from the equipment at all times and never allow them to sit on or operate the chair unsupervised.
- Always place and operate the chair on a flat, stable surface. Do not use on uneven, slippery, or inclined floors.
- Do not allow clients or staff to sit, lean heavily, or stand on the armrests or footrest.
- Do not use the chair in damp, wet, or high-humidity environments.
- Keep hands, feet, and objects clear of moving parts during adjustments to avoid pinching or injury.
- Adjust the chair slowly and smoothly. Avoid sudden or rapid movements that could startle the client.
- Check the chair regularly for loose screws, worn parts, or damage. Do not use if the chair is faulty.
- Do not disassemble or modify the chair. Servicing must be carried out by authorised professionals only.
- Use only manufacturer-approved replacement parts to maintain safety, performance, and warranty validity.

Precautions

- **Protect upholstery with a towel or chair cover when using hair dye, bleach, or chemical treatments.**
- **Avoid direct contact between hair colour products and the chair surface.**
- **Clean spills immediately to reduce the risk of staining.**
- **Wipe the chair regularly to maintain hygiene and appearance.**
- **Use only approved, non-abrasive cleaning products on upholstery and metal surfaces.**
- **Avoid harsh chemicals, solvents, or alcohol-based cleaners that may damage materials.**
- **Avoid steam cleaning or high-pressure water on the chair.**
- **Avoid excessive moisture pooling on the seat or seams.**
- **Do not cover the chair with plastic for long periods, as this can trap heat and moisture.**
- **Avoid prolonged exposure to direct sunlight to prevent vinyl fading or drying.**
- **Keep the chair away from open flames, heaters, heat lamps, and hot tools.**
- **Do not place hot styling tools (straighteners, curling irons, hot brushes) directly on the chair.**
- **Wipe away hair products, oils, and sprays promptly to prevent residue buildup.**
- **Move the chair carefully. Do not drag it across rough flooring or thresholds.**
- **Keep the base free from hair, dust, and debris.**
- **If wheels become stiff, clean them thoroughly before forcing movement.**
- **Inspect screws, bolts, and fittings periodically and tighten if necessary.**
- **Do not overtighten screws or fittings during routine checks.**
- **Do not store heavy objects on the seat, backrest, or footrest when not in use.**
- **Use only manufacturer-approved replacement parts.**



Product Specifications

Height (total):	84-97cm
Height (seat):	46-69cm
Width (total):	66cm
Width (inner seat):	49cm
Depth (inner):	49cm
Depth (total):	60cm
Net Weight:	22 kg
Gross Weight:	28 kg
Maximum Weight Capacity:	180 kg




STEP 1 - INSTALL PUMP

Turn the base and pump upside down. Remove the pre-installed screws from the pump, align the pump with the base, then tighten the screws to secure it.




STEP 2 - FITTING FOOT LEVER

Ensure the foot lever is correctly positioned. Install it on the side closest to the pump rod, as shown in diagram with the curved section facing upward.




STEP 3 - SECURE FOOT LEVER

Before installing the foot lever, loosen the two screws inside the pump shaft using the allen key. Fit the foot lever, then tighten the screws to secure it



STEP 4 - FIT CHAIR TOP



Lift the chair top and place the base plate onto the pump shaft, aligning the pin. The pin does not need to sit in the groove, as the chair's weight will lock it in place.



IMPORTANT: After assembly, raise and lower the chair several times to prime the hydraulic system. Use short, quick pumps for best performance and long-term reliability. Avoid fully pressing the lever each time, as this can reduce the lifespan of the hydraulic pump.


STEP 1 - INSTALL PUMP

Turn the base and pump upside down. Remove the pre-installed screws from the pump, align the pump with the base, then tighten the screws to secure it.




STEP 2 - FITTING FOOT LEVER

Ensure the foot lever is correctly positioned. Install it on the side closest to the pump rod, as shown in diagram with the curved section facing upward.




STEP 3 - SECURE FOOT LEVER

Before installing the foot lever, loosen the two screws inside the pump shaft using the allen key. Fit the foot lever, then tighten the screws to secure it



STEP 4 - FIT CHAIR TOP


Lift the chair top and place the base plate onto the pump shaft, aligning the pin. The pin does not need to sit in the groove, as the chair's weight will lock it in place.



IMPORTANT: After assembly, raise and lower the chair several times to prime the hydraulic system. Use short, quick pumps for best performance and long-term reliability. Avoid fully pressing the lever each time, as this can reduce the lifespan of the hydraulic pump.


STEP 1 - INSTALL PUMP

Turn the base and pump upside down. Remove the pre-installed screws from the pump, align the pump with the base, then tighten the screws to secure it.




STEP 2 - FITTING FOOT LEVER

Install the foot lever as shown in the diagram, then tighten the screw using the provided allen key.




STEP 3 - INSTALL SCREW COVER

Fit the screw cover over the screw.



STEP 4 - FIT CHAIR TOP

Lift the chair top and place the base plate onto the pump shaft, aligning the pin. The pin does not need to sit in the groove, as the chair's weight will lock it in place.



IMPORTANT: After assembly, raise and lower the chair several times to prime the hydraulic system. Use short, quick pumps for best performance and long-term reliability. Avoid fully pressing the lever each time, as this can reduce the lifespan of the hydraulic pump.

Disclaimer

This manual is provided solely as a reference for the safe and proper operation of this model and must not be used for any other purpose. DSSE accepts no liability for any incidental, indirect, or consequential damages arising from the use of this manual or the equipment described. The information contained herein is subject to change without notice and does not constitute a commitment by DSSE. While every effort has been made to ensure accuracy, DSSE assumes no responsibility for errors or omissions, nor any expressed or implied warranties, including but not limited to merchantability or fitness for a particular purpose. All content is protected by copyright law and may not be copied, reproduced, distributed, or translated, in whole or in part, without prior written authorisation from DSSE.

General Cleaning

- Wipe the upholstery and metal surfaces with a soft cloth and mild soapy water. Dry using a clean, soft cloth.
- If the upholstery becomes stained from contact with clothing, belts, or fabrics, clean the area promptly using warm soapy water and dry with a soft cloth.
- Avoid abrasive materials or harsh cleaners, as they may damage the surface.
- Test first – Always test any new cleaning product on a small, hidden area before full use.
- We recommend using protective chair covers to help preserve the upholstery and extend its service life.

Maintenance

- Regular inspection – Check all screws, bolts, and fasteners weekly. Tighten any that may have loosened during use.
- Hydraulic care – Operate the pump smoothly and avoid sudden or excessive force. If the chair becomes difficult to lift or lower, discontinue use and arrange an inspection.
- Cleaning – Wipe vinyl surfaces with a soft cloth and mild, non-abrasive soap. Avoid harsh chemicals, alcohol-based cleaners, or excessive water, which may damage the upholstery.
- Upholstery care – Remove colour dyes, hair products, or chemicals immediately to prevent staining.
- Base and frame – Keep the base free of hair and debris. Check glide feet or castors to ensure stable contact with the floor.
- Footrest and armrest care – Ensure these components move smoothly and show no signs of looseness or wear.
- Professional servicing – If you notice unusual sounds, instability, leakage, or difficulty in movement, stop using the chair and have it assessed by a qualified technician.

Routine Inspection

Perform periodic checks on:

- Hinges • Fasteners • Structural components

Ensure your chair remains safe, stable, and fully functional.

Do not dispose of old or defective appliances with household waste. Please use designated public collection points for proper disposal. This manual is for reference only. Specifications may change without prior notice.

! Important Notice - Upholstery Staining & Warranty

Please note that dark clothing, including denim, may transfer dye onto light coloured upholstery, particularly in warm or humid conditions. Such staining may be permanent and is not covered under warranty.

Upholstery may also be stained by hair colour, bleach, or other chemical products if not cleaned immediately. Damage, discolouration, or material deterioration caused by these substances is not covered under warranty.

Salon chairs should be protected with a suitable cover or towel when working with hair colour, chemicals, or any staining agents. Any marks, fading, or damage resulting from dye or chemical exposure will be considered misuse and will not qualify for repair or replacement under warranty.

WARRANTY PERIOD

VINYL: 2 YEARS | HYD. PUMP: 2 YEARS | COMPONENTS: 1 YEAR

For more information about our warranty, please refer to our website.